BR---.1100

• The fixing element is welded with the respective combined roller
• Special dimensions on request.

* For L measurement, see respective roller.

Order example: Roller + fixing element TR070.0200/BR 1100
Roller, combined, fixed, Ø 70,1 mm - welded with mounting plate 120 x 80 x 15 mm


Dimensions in mm.



Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.



Dimensions



Designation	Remark	G	A	B	D	F	C	T	E
50-BR1100	Roller: TR050.---, Plate: BR1100, Distance sheet: BR050.1505, BR050.1510	10.5	100	60	80	M10	40	10	40
60-BR1100	Roller: TR060.--- / XTR060.---, Plate: BR1100, Distance sheet: BR060.1505, BR060.1510	10.5	100	60	80	M10	40	10	40
70-BR1100	Roller: TR070.--- / XTR070.---, Plate: BR1100, Distance sheet: BR070.1505, BR070.1510	13	120	80	90	M12	50	15	50
80-BR1100	Roller: TR080.--- / XTR080.---, Plate: BR1100, Distance sheet: BR080.1505, BR080.1510	13	120	80	90	M12	50	15	50
90--BR1100	Roller: TR090.--- / XTR090.---, Plate: BR1100, Distance sheet: BR090.1505, BR090.1510	17	160	100	120	M16	60	20	60
110-BR1100	Roller: TR110.--- / XTR110.---, Plate: BR1100, Distance sheet: BR110.1505, BR110.1510	17	180	120	140	M16	80	20	80
120-BR1100	Roller: TR120.--- / XTR120.---, Plate: BR1100, Distance sheet: BR120.1505, BR120.1510	17	180	120	140	M16	80	20	80

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Designation	Remark	G	A	B	D	F	C	T	E
150-BR1100	Roller: TR150.--- / XTR150.---, Plate: BR1100, Distance sheet: BR150.1505, BR150.1510	17	200	150	160	M16	100	20	100

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.