

FG

Dimensions in mm.




Material: Galvanized or stainless steel AISI 304



General Data

| Designation | Description | Compatible with | Material | Fmax (N) | Mass (kg) |
|-------------------|-------------|-----------------|--------------------------|----------|-----------|
| FG 32 - 5485 | FG 32 | PNCE 32 | Galvanized steel | F PNCE | 0.22 |
| FG 32 CR - 69495 | FG 32 CR | PNCE 32 | Stainless steel AISI 304 | F PNCE | 0.22 |
| FG 40 - 5487 | FG 40 | PNCE 40 | Galvanized steel | F PNCE | 0.28 |
| FG 40 CR - 69497 | FG 40 CR | PNCE 40 | Stainless steel AISI 304 | F PNCE | 0.28 |
| FG 50 - 5489 | FG 50 | PNCE 50 | Galvanized steel | F PNCE | 0.53 |
| FG 50 CR - 69498 | FG 50 CR | PNCE 50 | Stainless steel AISI 304 | F PNCE | 0.53 |
| FG 63 - 5491 | FG 63 | PNCE 63 | Galvanized steel | F PNCE | 0.68 |
| FG 63 CR - 69499 | FG 63 CR | PNCE 63 | Stainless steel AISI 304 | F PNCE | 0.68 |
| FG 80 - 83009 | FG 80 | PNCE 80 | Galvanized steel | F PNCE | 1.4 |
| FG 80 CR - 83013 | FG 80 CR | PNCE 80 | Stainless steel AISI 304 | F PNCE | 1.4 |
| FG 100 - 83010 | FG 100 | PNCE 100 | Galvanized steel | F PNCE | 1.92 |
| FG 100 CR - 83014 | FG 100 CR | PNCE 100 | Stainless steel AISI 304 | F PNCE | 1.92 |

Dimensions



| Designation | L1 | L2 | L3 | L4 | L5 | L6 | L7 | D1 | D2 |
|-------------------|-----|-----|----|-----|----|------|-----|------------|------------|
| FG 32 - 5485 | 80 | 64 | 32 | 45 | 10 | 32.5 | 5 | Ø 30 (H11) | Ø 7 (H13) |
| FG 32 CR - 69495 | 80 | 64 | 32 | 45 | 10 | 32.5 | 5 | Ø 30 (H11) | Ø 7 (H13) |
| FG 40 - 5487 | 90 | 72 | 36 | 52 | 10 | 38 | 5 | Ø 35 (H11) | Ø 9 (H13) |
| FG 40 CR - 69497 | 90 | 72 | 36 | 52 | 10 | 38 | 5 | Ø 35 (H11) | Ø 9 (H13) |
| FG 50 - 5489 | 110 | 90 | 45 | 65 | 12 | 46.5 | 6.5 | Ø 40 (H11) | Ø 9 (H13) |
| FG 50 CR - 69498 | 110 | 90 | 45 | 65 | 12 | 46.5 | 6.5 | Ø 40 (H11) | Ø 9 (H13) |
| FG 63 - 5491 | 120 | 100 | 50 | 75 | 12 | 56.5 | 6.5 | Ø 45 (H11) | Ø 9 (H13) |
| FG 63 CR - 69499 | 120 | 100 | 50 | 75 | 12 | 56.5 | 6.5 | Ø 45 (H11) | Ø 9 (H13) |
| FG 80 - 83009 | 150 | 126 | 63 | 95 | 16 | 72 | 9 | Ø 60 (H11) | Ø 12 (H13) |
| FG 80 CR - 83013 | 150 | 126 | 63 | 95 | 16 | 72 | 9 | Ø 60 (H11) | Ø 12 (H13) |
| FG 100 - 83010 | 170 | 150 | 75 | 115 | 16 | 89 | 9 | Ø 70 (H11) | Ø 14 (H13) |
| FG 100 CR - 83014 | 170 | 150 | 75 | 115 | 16 | 89 | 9 | Ø 70 (H11) | Ø 14 (H13) |

| Designation | D3 | D4 |
|------------------|-------|--------|
| FG 32 - 5485 | Ø 6.5 | Ø 10.5 |
| FG 32 CR - 69495 | Ø 6.5 | Ø 10.5 |

| Designation | D3 | D4 |
|-------------------|--------|--------|
| FG 40 - 5487 | Ø 6.5 | Ø 10.5 |
| FG 40 CR - 69497 | Ø 6.5 | Ø 10.5 |
| FG 50 - 5489 | Ø 8.5 | Ø 13.5 |
| FG 50 CR - 69498 | Ø 8.5 | Ø 13.5 |
| FG 63 - 5491 | Ø 8.5 | Ø 13.5 |
| FG 63 CR - 69499 | Ø 8.5 | Ø 13.5 |
| FG 80 - 83009 | Ø 10.5 | Ø 16.5 |
| FG 80 CR - 83013 | Ø 10.5 | Ø 16.5 |
| FG 100 - 83010 | Ø 10.5 | Ø 16.5 |
| FG 100 CR - 83014 | Ø 10.5 | Ø 16.5 |