Standard MR-M Rail

Tapped from above.

Dimensions in mm.

Please note that blocks and rails are not sold separately for sizes 2 and 3. Due to the small dimensions, blocks and sliders must be assembled and matched carefully to ensure correct quality and tolerances.




General Data

| Designation | Weight Rail (g/m) | | | |
|-------------|-------------------|--|--|--|
| MR5M | 116 | | | |
| MR7M | 215 | | | |
| MR9M | 301 | | | |
| MR12M | 602 | | | |
| MR15M | 930 | | | |

Rollco Norge AS • Industrigata 6 • 3414 Lierstranda • Norge Tel. +47 32 84 00 34 • info@rollco.no • Org.nr 984 962 983 Page 2 of 3 Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Dimensions



| Designation | H1 | W1 | D x d x g1 | Hole Pitch (P) |
|-------------|-----|----|-----------------|----------------|
| MR5M | 3.5 | 5 | 3.5 x 2.4 x 1 | 15 |
| MR7M | 4.7 | 7 | 4.2 x 2.4 x 2.3 | 15 |
| MR9M | 5.5 | 9 | 6 x 3.5 x 3.5 | 20 |
| MR12M | 7.5 | 12 | 6 x 3.5 x 4.5 | 25 |
| MR15M | 9.5 | 15 | 6 x 3.5 x 4.5 | 40 |

Rollco Norge AS • Industrigata 6 • 3414 Lierstranda • Norge Tel. +47 32 84 00 34 • info@rollco.no • Org.nr 984 962 983 Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.