

## Rollers for Solid Version

### CONCENTRIC ROLLER

RSBN: Standard bearing steel

RXBN: Stainless bearing steel (AISI-440C)

### ECCENTRIC ROLLER

RSBA: Standard bearing steel

RXBA: Stainless bearing steel (AISI-440C)


Standard slider is with 3 rollers. The rollers can also be mounted directly into your application or we can make special sliders according to your need. Please contact Rollco for more information.



## General Data

Designation	Weight (kg)
RSBN20-2Z	0.006
RXBN20-2RS	0.006
RSBA20-2Z	0.006
RXBA20-2RS	0.006
RSBN30-2Z	0.022
RXBN30-2RS	0.022
RSBA30-2Z	0.022
RXBA30-2RS	0.022
RSBN45-2Z	0.07
RXBN45-2RS	0.07
RSBA45-2Z	0.07
RXBA45-2RS	0.07

## Dimensions



Designation	A	B	C	D	E	F	G	H	I
<b>RSBN20-2Z</b>	14	8.7	6	6	8	M4	-	1.8	4.7
<b>RXBN20-2RS</b>	14	8.7	6	6	8	M4	-	1.8	4.7
<b>RSBA20-2Z</b>	14	8.7	6	6	8	M4	0.5	1.8	4.7
<b>RXBA20-2RS</b>	14	8.7	6	6	8	M4	0.5	1.8	4.7
<b>RSBN30-2Z</b>	22.8	13.8	7	10	13	M5	-	3.8	6.8
<b>RXBN30-2RS</b>	22.8	13.8	7	10	13	M5	-	3.8	6.8
<b>RSBA30-2Z</b>	22.8	13.8	7	10	13	M5	0.6	3.8	6.8
<b>RXBA30-2RS</b>	22.8	13.8	7	10	13	M6	0.6	3.8	6.8
<b>RSBN45-2Z</b>	35.6	20.6	12	12	15	M6	-	4.5	9.6
<b>RXBN45-2RS</b>	35.6	20.6	12	12	15	M6	-	4.5	9.6
<b>RSBA45-2Z</b>	35.6	20.6	12	12	15	M6	0.8	4.5	9.6
<b>RXBA45-2RS</b>	35.6	20.6	12	12	15	M6	0.8	4.5	9.6