LME….UUOP

Dimensions in mm.
Other types available on request.

Material: 100Cr6




Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


General Data

Designation	Dynamic Load Capacity (N)	Static Load Capacity (N)	Number Of Ball Rows
LME12UUOP	520	790	3
LME16UUOP	590	910	4
LME20UUOP	880	1400	4
LME25UUOP	1000	1600	5
LME30UUOP	1600	2800	5
LME40UUOP	2200	4000	5
LME50UUOP	3900	8100	5

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Dimensions





Designation	I	D	L	W	B	O	θ
LME12UUOP	12	22	32	1.3	22.9	21	78°
LME16UUOP	16	26	36	1.3	24.9	24.9	78°
LME20UUOP	20	32	45	1.6	31.5	30.3	60°
LME25UUOP	25	40	58	1.85	44.1	37.5	60°
LME30UUOP	30	47	68	1.85	52.1	44.5	60°
LME40UUOP	40	62	80	2.15	60.6	59	60°
LME50UUOP	50	75	100	2.65	77.6	72	60°

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.