

## HG

Dimensions in mm.

**Material:** Galvanized or stainless steel AISI 304







## General Data

| Designation                 | Description  | Compatible with | Type                              | Material                 | Fmax (N) |
|-----------------------------|--------------|-----------------|-----------------------------------|--------------------------|----------|
| <b>HG 32 - 69601</b>        | HG 32        | PNCE 32         | Front cap mounting                | Galvanized steel         | F PNCE   |
| <b>HG 32 CR - 69605</b>     | HG 32 CR     | PNCE 32         | Front cap mounting                | Stainless steel AISI 304 | F PNCE   |
| <b>HG 32 MSD - 69597</b>    | HG 32 MSD    | PNCE 32         | Motor side drive type T1 mounting | Galvanized steel         | F PNCE   |
| <b>HG 32 MSD CR - 69609</b> | HG 32 MSD CR | PNCE 32         | Motor side drive type T1 mounting | Stainless steel AISI 304 | F PNCE   |
| <b>HG 40 - 69602</b>        | HG 40        | PNCE 40         | Front cap mounting                | Galvanized steel         | 3500     |
| <b>HG 40 CR - 69606</b>     | HG 40 CR     | PNCE 40         | Front cap mounting                | Stainless steel AISI 304 | 3500     |
| <b>HG 40 MSD - 69598</b>    | HG 40 MSD    | PNCE 40         | Motor side drive type T1 mounting | Galvanized steel         | 3500     |
| <b>HG 40 MSD CR - 69610</b> | HG 40 MSD CR | PNCE 40         | Motor side drive type T1 mounting | Stainless steel AISI 304 | 3500     |
| <b>HG 50 - 69603</b>        | HG 50        | PNCE 50         | Front cap mounting                | Galvanized steel         | 5400     |
| <b>HG 50 CR - 69607</b>     | HG 50 CR     | PNCE 50         | Front cap mounting                | Stainless steel AISI 304 | 5400     |
| <b>HG 50 MSD - 69599</b>    | HG 50 MSD    | PNCE 50         | Motor side drive type T1 mounting | Galvanized steel         | 5400     |
| <b>HG 50 MSD CR - 69611</b> | HG 50 MSD CR | PNCE 50         | Motor side drive type T1 mounting | Stainless steel AISI 304 | 5400     |
| <b>HG 63 - 69604</b>        | HG 63        | PNCE 63         | Front cap mounting                | Galvanized steel         | 6200     |
| <b>HG 63 CR - 69608</b>     | HG 63 CR     | PNCE 63         | Front cap mounting                | Stainless steel AISI 304 | 6200     |
| <b>HG 63 MSD - 69600</b>    | HG 63 MSD    | PNCE 63         | Motor side drive type T1 mounting | Galvanized steel         | 6200     |
| <b>HG 63 MSD CR - 69612</b> | HG 63 MSD CR | PNCE 63         | Motor side drive type T1 mounting | Stainless steel AISI 304 | 6200     |

| Designation                 | Mass (kg) |
|-----------------------------|-----------|
| <b>HG 32 - 69601</b>        | 0.09      |
| <b>HG 32 CR - 69605</b>     | 0.09      |
| <b>HG 32 MSD - 69597</b>    | 0.09      |
| <b>HG 32 MSD CR - 69609</b> | 0.09      |
| <b>HG 40 - 69602</b>        | 0.1       |
| <b>HG 40 CR - 69606</b>     | 0.1       |
| <b>HG 40 MSD - 69598</b>    | 0.1       |
| <b>HG 40 MSD CR - 69610</b> | 0.1       |
| <b>HG 50 - 69603</b>        | 0.2       |
| <b>HG 50 CR - 69607</b>     | 0.2       |
| <b>HG 50 MSD - 69599</b>    | 0.2       |
| <b>HG 50 MSD CR - 69611</b> | 0.2       |
| <b>HG 63 - 69604</b>        | 0.22      |
| <b>HG 63 CR - 69608</b>     | 0.22      |
| <b>HG 63 MSD - 69600</b>    | 0.22      |
| <b>HG 63 MSD CR - 69612</b> | 0.22      |

## Dimensions



| Designation                 | L1 | L2 | L3 | L4 | L5    | L6 | L7   | L8 | L9 |
|-----------------------------|----|----|----|----|-------|----|------|----|----|
| <b>HG 32 - 69601</b>        | 45 | 32 | 35 | 24 | 15.75 | 4  | 32.5 | 30 | 32 |
| <b>HG 32 CR - 69605</b>     | 45 | 32 | 35 | 24 | 15.75 | 4  | 32.5 | 30 | 32 |
| <b>HG 32 MSD - 69597</b>    | 45 | 32 | 35 | 24 | 15.75 | 4  | 32.5 | 30 | 32 |
| <b>HG 32 MSD CR - 69609</b> | 45 | 32 | 35 | 24 | 15.75 | 4  | 32.5 | 30 | 32 |
| <b>HG 40 - 69602</b>        | 52 | 36 | 36 | 28 | 17    | 4  | 38   | 30 | 36 |
| <b>HG 40 CR - 69606</b>     | 52 | 36 | 36 | 28 | 17    | 4  | 38   | 30 | 36 |
| <b>HG 40 MSD - 69598</b>    | 52 | 36 | 36 | 28 | 17    | 4  | 38   | 30 | 36 |
| <b>HG 40 MSD CR - 69610</b> | 52 | 36 | 36 | 28 | 17    | 4  | 38   | 30 | 36 |
| <b>HG 50 - 69603</b>        | 65 | 45 | 47 | 32 | 21.75 | 5  | 46.5 | 36 | 45 |
| <b>HG 50 CR - 69607</b>     | 65 | 45 | 47 | 32 | 21.75 | 5  | 46.5 | 36 | 45 |
| <b>HG 50 MSD - 69599</b>    | 65 | 45 | 47 | 32 | 21.75 | 5  | 46.5 | 36 | 45 |
| <b>HG 50 MSD CR - 69611</b> | 65 | 45 | 47 | 32 | 21.75 | 5  | 46.5 | 36 | 45 |
| <b>HG 63 - 69604</b>        | 75 | 50 | 45 | 32 | 21.75 | 5  | 56.5 | 35 | 50 |
| <b>HG 63 CR - 69608</b>     | 75 | 50 | 45 | 32 | 21.75 | 5  | 56.5 | 35 | 50 |
| <b>HG 63 MSD - 69600</b>    | 75 | 50 | 45 | 32 | 21.75 | 5  | 56.5 | 35 | 50 |
| <b>HG 63 MSD CR - 69612</b> | 75 | 50 | 45 | 32 | 21.75 | 5  | 56.5 | 35 | 50 |

| Designation                 | D1   | D2  | R    |
|-----------------------------|------|-----|------|
| <b>HG 32 - 69601</b>        | Ø 7  | Ø 7 | 15   |
| <b>HG 32 CR - 69605</b>     | Ø 7  | Ø 7 | 15   |
| <b>HG 32 MSD - 69597</b>    | Ø 7  | Ø 7 | 15   |
| <b>HG 32 MSD CR - 69609</b> | Ø 7  | Ø 7 | 15   |
| <b>HG 40 - 69602</b>        | Ø 10 | Ø 7 | 17.5 |
| <b>HG 40 CR - 69606</b>     | Ø 10 | Ø 7 | 17.5 |
| <b>HG 40 MSD - 69598</b>    | Ø 10 | Ø 7 | 17.5 |
| <b>HG 40 MSD CR - 69610</b> | Ø 10 | Ø 7 | 17.5 |
| <b>HG 50 - 69603</b>        | Ø 10 | Ø 9 | 20   |
| <b>HG 50 CR - 69607</b>     | Ø 10 | Ø 9 | 20   |
| <b>HG 50 MSD - 69599</b>    | Ø 10 | Ø 9 | 20   |
| <b>HG 50 MSD CR - 69611</b> | Ø 10 | Ø 9 | 20   |
| <b>HG 63 - 69604</b>        | Ø 10 | Ø 9 | 22.5 |
| <b>HG 63 CR - 69608</b>     | Ø 10 | Ø 9 | 22.5 |
| <b>HG 63 MSD - 69600</b>    | Ø 10 | Ø 9 | 22.5 |
| <b>HG 63 MSD CR - 69612</b> | Ø 10 | Ø 9 | 22.5 |