


Table of contents

- **PP4010 – Profile 20x10**
- **PP4030 – Profile 20x20**
- **PP4031 – Profile 20x20 3N**
- **PP4040 – Profile 20x40**
- **PP4900 – Profile 20x20 2N90**
- **PP4110 – Profile 20x20 R90°**
- **PP4071 – Profile 20x40 4N**
- **PP4050 – Profile 20x60**
- **PP4070 – Profile 40x40**

PP4010 – Profile 20x10

System: 20 - Slot 5
Dimensions: 20x10
Length (mm): 3000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP4010	0.12	0.53	0.22	0.53	1.29


Designation	Mass (kg/m)
PP4010	0.35

PP4030 – Profile 20x20

System: 20 - Slot 5

Dimensions: 20x20

Length (mm): 3000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP4030	0.74	0.74	0.74	0.74	1.82


Designation	Mass (kg/m)
PP4030	0.49

PP4031 – Profile 20x20 3N

System: 20 - Slot 5

Dimensions: 20x20

Length (mm): 3000



General Data

Designation	I _x (cm ⁴)	I _y (cm ⁴)	W _x (cm ³)	W _y (cm ³)	A (cm ²)
PP4031	0.82	0.75	0.78	0.75	1.92


Designation	Mass (kg/m)
PP4031	0.52

PP4040 – Profile 20x40

System: 20 - Slot 5

Dimensions: 20x40

Length (mm): 3000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP4040	5.13	1.4	2.56	1.4	3.29


Designation	Mass (kg/m)
PP4040	0.89

PP4900 – Profile 20x20 2N90

System: 20 - Slot 5

Dimensions: 20x20

Length (mm): 3000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP4900	0.82	0.82	0.79	0.79	2.01


Designation	Mass (kg/m)
PP4900	0.53

PP4110 – Profile 20x20 R90°

System: 20 - Slot 5

Dimensions: 20x20

Length (mm): 3000




General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP4110	0.58	0.58	0.54	0.54	1.72

Designation	Mass (kg/m)
PP4110	0.47

PP4071 – Profile 20x40 4N

System: 20 - Slot 5
Dimensions: 20x40
Length (mm): 3000




General Data

Designation	I _x (cm ⁴)	I _y (cm ⁴)	W _x (cm ³)	W _y (cm ³)	A (cm ²)
PP4071	5.19	1.47	2.59	1.44	3.36

Designation	Mass (kg/m)
PP4071	0.91

PP4050 – Profile 20x60

System: 20 - Slot 5
Dimensions: 20x60
Length (mm): 3000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP4050	16.07	2.07	5.36	2.07	4.76


Designation	Mass (kg/m)
PP4050	1.28

PP4070 – Profile 40x40

System: 20 - Slot 5

Dimensions: 40x40

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP4070	9.24	9.24	4.62	4.62	5.1

Designation	Mass (kg/m)
PP4070	1.38